

# SAFETY DATA SHEET

Product name: 7423 Microbiocide

Issue Date: 05/01/2015

---

## 1. IDENTIFICATION

---

Product name: 7423 Microbiocide

**Recommended use of the chemical and restrictions on use**

**Identified uses:** Biocidal product

### COMPANY IDENTIFICATION

Chemicals Inc.  
13560 Colombard Court  
Fontana, CA 92331

### EMERGENCY TELEPHONE NUMBER

**24-Hour Emergency Contact:** Infotrac: 1-800-535-5053

**None Emergency Contact:** [info@cheminc.com](mailto:info@cheminc.com)

---

## 2. HAZARDS IDENTIFICATION

---

### Hazard classification

This material is hazardous under the criteria of the Federal OSHA Hazard Communication Standard 29CFR 1910.1200.

Skin corrosion - Category 1B

Serious eye damage - Category 1

Skin sensitization - Category 1

### Label elements

#### Hazard pictograms



Signal word: **DANGER!**

### Hazards

Causes severe skin burns and eye damage.

May cause an allergic skin reaction.

**Precautionary statements****Prevention**

Avoid breathing dust/ fume/ gas/ mist/ vapours/ spray.  
Wash skin thoroughly after handling.  
Contaminated work clothing should not be allowed out of the workplace.  
Wear protective gloves/ protective clothing/ eye protection/ face protection.

**Response**

IF SWALLOWED: Rinse mouth. Do NOT induce vomiting.  
IF ON SKIN (or hair): Remove/ Take off immediately all contaminated clothing. Rinse skin with water/ shower.  
IF INHALED: Remove victim to fresh air and keep at rest in a position comfortable for breathing. Immediately call a POISON CENTER or doctor/ physician.  
IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing. Immediately call a POISON CENTER or doctor/ physician.  
If skin irritation or rash occurs: Get medical advice/ attention.  
Wash contaminated clothing before reuse.

**Storage**

Store locked up.

**Disposal**

Dispose of contents/ container to an approved waste disposal plant.

**Other hazards**

no data available

---

**3. COMPOSITION/INFORMATION ON INGREDIENTS**

---

**Chemical nature:** Aqueous solution of organic and inorganic compounds  
This product is a mixture.

**Composition comments:** Confidential business information has been removed without effecting the overall safety information on the safety data sheet.

---

**4. FIRST AID MEASURES**

---

**Inhalation:** Move to fresh air. Give artificial respiration if breathing has stopped. If symptoms persist, call a physician.

**Skin contact:** IMMEDIATELY get under a safety shower. Remove contaminated clothing. Wash off with soap and water. Immediate medical attention is required. Wash contaminated clothing before reuse. Do not take clothing home to be laundered. Discard contaminated shoes, belts, and other articles made of leather.

**Eye contact:** Rinse immediately with plenty of water for at least 15 minutes. Immediate medical attention is required.

**Ingestion:** Drink 1 or 2 glasses of water. IMMEDIATELY see a physician. Never give anything by mouth to an unconscious person.

**Most important symptoms and effects, both acute and delayed:** Aside from the information found under Description of first aid measures (above) and Indication of immediate medical attention and special treatment needed (below), any additional important symptoms and effects are described in Section 11: Toxicology Information.

**Indication of any immediate medical attention and special treatment needed**

**Notes to physician:** MATERIAL IS CORROSIVE. It may not be advisable to induce vomiting. Possible mucosal damage may contraindicate the use of gastric lavage. Measures against circulatory shock and convulsions maybe necessary.

---

## 5. FIREFIGHTING MEASURES

---

**Suitable extinguishing media:** Use extinguishing media appropriate for surrounding fire.

**Unsuitable extinguishing media:** no data available

**Special hazards arising from the substance or mixture**

**Hazardous combustion products:** no data available

**Unusual Fire and Explosion Hazards:** Combustion generates toxic fumes of the following: hydrogen chloride Nitrogen oxides (NOx) sulfur oxides

**Advice for firefighters**

**Fire Fighting Procedures:** Cool containers/tanks with water spray. Minimize exposure. Do not breathe fumes. Contain run-off.

**Special protective equipment for firefighters:** Wear self-contained breathing apparatus and protective suit.

---

## 6. ACCIDENTAL RELEASE MEASURES

---

**Personal precautions, protective equipment and emergency procedures:** Wear a NIOSH approved (or equivalent) respirator (with organic vapor/acid gas cartridge and a dust/mist filter) during spill clean-ups and deactivation of this material. MATERIAL IS CORROSIVE. Protective clothing, including chemical splash goggles, nitrile or butyl rubber full length gloves, rubber apron, or clothing made of nitrile or butyl rubber, and rubber overshoes must be worn during spill clean-ups and deactivation of this material. If material comes in contact with the skin during clean-up operations, IMMEDIATELY remove all contaminated clothing and wash exposed skin areas with soap and water. See SECTION 4, First Aid Measures, for further information.

**Environmental precautions:** Do not allow material to contaminate ground water system. Prevent product from entering drains.

**Methods and materials for containment and cleaning up:** WARNING: KEEP SPILLS AND CLEAN-UP RESIDUALS OUTOF MUNICIPAL SEWERS AND OPEN BODIES OF WATER. Adsorb the spill with spill pillows or inert solids such as clay or vermiculite, and transfer contaminated materials to suitable containers for disposal. Deactivate spill area with freshly prepared solution of 5% sodium bicarbonate and 5% sodium hypochlorite in water. Apply solution to the spill area at a ratio of 10 volumes deactivation solution per estimated volume of residual spill to deactivate any residual active ingredient. Let stand for 30 minutes. Flush the spill area with copious amounts of water to chemical sewer (if in accordance with local procedures, permits and regulations). DO NOT add deactivation solution to the waste pail to deactivate the adsorbed material. See Section 13, "Disposal Considerations", for information regarding the disposal of contained materials.

---

## 7. HANDLING AND STORAGE

---

**Precautions for safe handling:** This material is corrosive. For personal protection see section 8. Do not handle material near food, feed or drinking water.

**Conditions for safe storage:** Keep in a well-ventilated place. The product as supplied may evolve gas (largely carbon dioxide) slowly. To prevent the buildup of pressure the product is packaged in specially vented containers, where necessary. Keep this product in the original container when not in use. Container must be stored and transported in an upright position to prevent spilling the contents through the vent, where fitted. Do not store this material in containers made of the following: steel Do not store this material near food, feed or drinking water.

CONTAINERS MAY BE HAZARDOUS WHEN EMPTY. Since emptied containers retain product residue follow all MSDS and label warnings even after container is emptied. Expiration date based only on retention of >95% actives during storage at 20°C-25°C (68°F-77°F).

### Storage stability

**Storage temperature:** 1 - 55 °C (34 - 131 °F)

---

## 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

---

### Control parameters

Exposure limits are listed below, if they exist.

Component	Type of listing	Value/Notation
5-Chloro-2-methyl-4-isothiazolin-3-one	TWA	0.076 mg/m <sup>3</sup>
2-Methyl-4-isothiazolin-3-one	STEL	0.23 mg/m <sup>3</sup>
	TWA	1.5 mg/m <sup>3</sup>
	STEL	1.5 mg/m <sup>3</sup>

### Exposure controls

**Engineering controls:** Use local exhaust ventilation with a minimum capture velocity of 150 ft/min. (0.75 m/sec.) at the point of dust or mist evolution. Refer to the current edition of "Industrial Ventilation: A Manual of Recommended Practice" published by the American Conference of Governmental Industrial Hygienists for information on the design, installation, use, and maintenance of exhaust systems.

**Protective measures:** Facilities storing or utilizing this material should be equipped with an eyewash facility and a safety shower.

### Individual protection measures

**Eye/face protection:** Use chemical splash goggles and face shield (ANSI Z87.1 or approved equivalent). Eye protection worn must be compatible with respiratory protection system employed.

#### Skin protection

**Hand protection:** Chemical-resistant gloves should be worn whenever this material is handled. The glove(s) listed below may provide protection against permeation. (Gloves of other chemically resistant materials may not provide adequate protection): Butyl-rubber. Nitrile rubber. PVC gloves >1 mm thickness. Gloves should be removed and replaced immediately if there is any indication of degradation or chemical breakthrough. Rinse and remove gloves immediately after use. Wash hands with soap and water. NOTE: Material is a possible skin sensitizer.

**Other protection:** Wear as appropriate: Chemical resistant apron complete suit protecting against chemicals

**Respiratory protection:** Typical use of this material does not result in workplace exposures that exceed the exposure limits listed in the Exposure Limit Information Section. For those special workplace conditions where the listed exposure limits are exceeded, a respiratory protection program meeting OSHA 1910.134 and ANSI Z88.2 requirements must be followed. For concentrations up to 10 times the exposure limit, wear a properly fitted NIOSH approved (or equivalent) half-mask or full facepiece air purifying respirator equipped with organic vapor cartridges and N95 filters. If oil mist is present, use R95 or P95 filters. For those unlikely situations where exposure may greatly exceed the listed exposure limits (i.e. greater than 10-fold), or in any emergency situation, wear a properly fitted NIOSH approved (or equivalent) self-contained breathing apparatus in the pressure demand mode or a full facepiece airline respirator in the pressure demand mode with emergency escape provision. See SECTION 6, Accidental Release Measures, for respirator and protective clothing requirements for spill clean-up and decontamination of this material.

---

## 9. PHYSICAL AND CHEMICAL PROPERTIES

---

### Appearance

<b>Physical state</b>	liquid
<b>Color</b>	Light blue to light green
<b>Odor</b>	Pungent odor
<b>Odor Threshold</b>	no data available
<b>pH</b>	2.0 - 4.0
<b>Melting point/range</b>	-3.00 °C ( 26.60 °F)
<b>Freezing point</b>	no data available
<b>Boiling point (760 mmHg)</b>	100.00 °C ( 212.00 °F) estimated
<b>Flash point</b>	Not applicable
<b>Evaporation Rate (Butyl Acetate = 1)</b>	<1.00
<b>Flammability (solid, gas)</b>	Not Applicable
<b>Lower explosion limit</b>	Not Applicable
<b>Upper explosion limit</b>	Not Applicable
<b>Vapor Pressure</b>	no data available
<b>Relative Vapor Density (air = 1)</b>	0.6200 estimated
<b>Relative Density (water = 1)</b>	1.0200
<b>Water solubility</b>	completely soluble

<b>Partition coefficient: n-octanol/water</b>	log Pow: 0.401 <i>Method Not Specified.</i>
<b>Auto-ignition temperature</b>	Not Applicable
<b>Decomposition temperature</b>	no data available
<b>Dynamic Viscosity</b>	3.000 mPa.s at 25.00 °C (77.00 °F)
<b>Kinematic Viscosity</b>	no data available
<b>Explosive properties</b>	no data available
<b>Oxidizing properties</b>	no data available
<b>Molecular weight</b>	no data available
<b>Percent volatility</b>	95.00 - 96.00 % Water

NOTE: The physical data presented above are typical values and should not be construed as a specification.

---

## 10. STABILITY AND REACTIVITY

---

**Reactivity:** no data available

**Chemical stability:** no data available

**Possibility of hazardous reactions:** Stable under recommended storage conditions. Product will not undergo polymerization.

**Conditions to avoid:** no data available

**Incompatible materials:** Avoid contact with the following: Oxidizing agents Amines. Reducing agents. Mercaptans.

**Hazardous decomposition products:** Nitrogen oxides (NOx) Sulphur oxides hydrogen chloride

---

## 11. TOXICOLOGICAL INFORMATION

---

*Toxicological information on this product or its components appear in this section when such data is available.*

### Acute toxicity

#### Acute oral toxicity

LD50, Rat, female, 3,310 mg/kg

LD50, Rat, male, > 5,000 mg/kg

**Acute dermal toxicity**

LD50, Rabbit, > 5,000 mg/kg

**Acute inhalation toxicity**

LC50, Rat, 4 Hour, dust/mist, > 5 mg/l Estimated.

**Skin corrosion/irritation**

This material is corrosive.

**Serious eye damage/eye irritation**

Corrosive

**Sensitization**

Has caused allergic skin reactions when tested in guinea pigs.

**Specific Target Organ Systemic Toxicity (Single Exposure)**

Product test data not available.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Product test data not available.

**Carcinogenicity**

Did not cause cancer in laboratory animals.

**Teratogenicity**

Did not show teratogenic effects in animal experiments.

**Reproductive toxicity**

In animal studies, did not interfere with reproduction.

**Mutagenicity**

Not mutagenic when tested in bacterial or mammalian systems.

**Aspiration Hazard**

Product test data not available.

**COMPONENTS INFLUENCING TOXICOLOGY:****5-Chloro-2-methyl-4-isothiazolin-3-one****Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

**Aspiration Hazard**

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

**2-Methyl-4-isothiazolin-3-one****Specific Target Organ Systemic Toxicity (Single Exposure)**

May cause respiratory irritation.

Route of Exposure: Inhalation

Target Organs: Respiratory Tract

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

**Aspiration Hazard**

Aspiration into the lungs may occur during ingestion or vomiting, causing tissue damage or lung injury.

**Magnesium Chloride****Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

Based on available data, repeated exposures are not anticipated to cause additional significant adverse effects.

**Aspiration Hazard**

Based on physical properties, not likely to be an aspiration hazard.

**Magnesium nitrate****Specific Target Organ Systemic Toxicity (Single Exposure)**

Evaluation of available data suggests that this material is not an STOT-SE toxicant.

**Specific Target Organ Systemic Toxicity (Repeated Exposure)**

For similar material(s):

Based on available data, repeated exposures are not anticipated to cause significant adverse effects.

**Aspiration Hazard**

Based on available information, aspiration hazard could not be determined.

Carcinogenicity

Component

Magnesium nitrate

**List**

IARC

**Classification**

Group 2A: Probably carcinogenic to humans

Copper nitrate

IARC

Group 2A: Probably carcinogenic to humans

---

**12. ECOLOGICAL INFORMATION**

---

*Ecotoxicological information on this product or its components appear in this section when such data is available. Toxicity*

**5-Chloro-2-methyl-4-isothiazolin-3-one****Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Rainbow trout (*Oncorhynchus mykiss*), 96 Hour, 0.19 mg/l, OECD Test Guideline 203 or Equivalent

LC50, Bluegill sunfish (*Lepomis macrochirus*), 96 Hour, 0.28 mg/l



**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna, 48 Hour, 0.16 mg/l

**Acute toxicity to algae/aquatic plants**

NOEC, Selenastrum capricornutum (green algae), Growth rate, 0.0099 mg/l

EC50, Algae (Selenastrum capricornutum), 72 Hour, Growth rate, 0.018 mg/l

**Toxicity to bacteria**

EC50, Bacteria, 16 Hour, 5.7 mg/l

**Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna (Water flea), 21 d, number of offspring, 0.172000 mg/l

LOEC, Daphnia magna (Water flea), 21 d, number of offspring, 0.572000 mg/l

**2-Methyl-4-isothiazolin-3-one****Acute toxicity to fish**

Material is highly toxic to aquatic organisms on an acute basis (LC50/EC50 between 0.1 and 1 mg/L in the most sensitive species tested).

LC50, Oncorhynchus mykiss (rainbow trout), 96 Hour, 4.77 mg/l, OECD Test Guideline 203 or Equivalent

**Acute toxicity to aquatic invertebrates**

LC50, Daphnia magna (Water flea), 48 Hour, 0.93 - 1.9 mg/l

**Acute toxicity to algae/aquatic plants**

EC50, Algae (Selenastrum capricornutum), 72 Hour, Growth rate, 0.158 mg/l, OECD Test Guideline 201

**Chronic toxicity to aquatic invertebrates**

NOEC, Daphnia magna, 21 d, 0.04 mg/l

**Magnesium Chloride****Acute toxicity to fish**

Material is practically non-toxic to aquatic organisms on an acute basis (LC50/EC50/EL50/LL50 >100 mg/L in the most sensitive species tested).

LC50, Gambusia affinis (Mosquito fish), static test, 96 Hour, 16,500 mg/l, Method Not Specified.

**Acute toxicity to aquatic invertebrates**

EC50, Daphnia magna (Water flea), 24 Hour, 3,190 mg/l, Directive 84/449/EEC, C.2

**Acute toxicity to algae/aquatic plants**

EC50, alga Scenedesmus sp., 72 Hour, Biomass, 2,200 mg/l, OECD Test Guideline 201 or Equivalent

**Magnesium nitrate****Acute toxicity to fish**

Not expected to be acutely toxic to aquatic organisms.

For similar material(s):

LC50, Poecilia reticulata (guppy), 96 Hour, > 100 mg/l

**Acute toxicity to aquatic invertebrates**

For similar material(s):

EC50, Daphnia magna, 48 Hour, > 100 mg/l

**Acute toxicity to algae/aquatic plants**

For similar material(s):

ErC50, Algae, 72 Hour, Growth rate, > 100 mg/l

**Copper nitrate****Acute toxicity to fish**

Material is very highly toxic to aquatic organisms on an acute basis (LC50/EC50 <0.1 mg/L in the most sensitive species).

LC50, Coho salmon, silver salmon (*Oncorhynchus kisutch*), 96 Hour, 0.286 mg/l, Method Not Specified.

LC50, Cyprinodon variegatus (sheepshead minnow), 96 Hour, 0.22 mg/l, Method Not Specified.

LC50, Zebra fish (*Danio/Brachydanio rerio*), 96 Hour, 0.21 mg/l, Method Not Specified.

LC50, Mosquito fish (*Gambusia affinis*), 72 Hour, 0.12 mg/l, Method Not Specified.

LC50, Bluegill sunfish (*Lepomis macrochirus*), 96 Hour, 0.62 mg/l, Method Not Specified.

EC10, Rainbow trout (*Salmo gairdneri*), 672 Hour, 0.0165 mg/l, Method Not Specified.

**Acute toxicity to aquatic invertebrates**

LC50, ceriodaphnia dubia (water flea), 48 Hour, 0.066 mg/l, Method Not Specified.

**Acute toxicity to algae/aquatic plants**

EC50, Marine diatom (*Thalassiosira pseudonana*), 72 Hour, Growth rate, 0.005 mg/l

EC50, Algae, 96 Hour, Growth rate, 0.033 mg/l

EC50, Algae (*Selenastrum capricornutum*), 336 Hour, 0.085 mg/l

EC50, Algae, 504 Hour, 0.07 mg/l

**Persistence and degradability****5-Chloro-2-methyl-4-isothiazolin-3-one**

**Biodegradability:** Material is readily biodegradable. Passes OECD test(s) for ready biodegradability.

10-day Window: Not applicable

**Biodegradation:** 98 %

**Exposure time:** 2 d

**Method:** OECD Test Guideline 302B or Equivalent

**2-Methyl-4-isothiazolin-3-one**

**Biodegradability:** Material is expected to be readily biodegradable.

**Biodegradation:** 98 %

**Exposure time:** 48 d

**Method:** Simulation study

**Magnesium Chloride**

**Biodegradability:** Biodegradation is not applicable.

**Magnesium nitrate**

**Biodegradability:** No relevant data found.

**Bioaccumulative potential**

**Partition coefficient: n-octanol/water(log Pow):** 0.401 Method Not Specified.

**Mobility in soil****5-Chloro-2-methyl-4-isothiazolin-3-one**

No relevant data found.

**2-Methyl-4-isothiazolin-3-one**

No relevant data found.

**Magnesium Chloride**

Potential for mobility in soil is very high (Koc between 0 and 50).

**Partition coefficient(Koc):** 23.7

**Magnesium nitrate**

Potential for mobility in soil is very high (Koc between 0 and 50).

Given its very low Henry's constant, volatilization from natural bodies of water or moist soil is not expected to be an important fate process.

**Partition coefficient(Koc):** 24

**Copper nitrate**

No data available.

---

### 13. DISPOSAL CONSIDERATIONS

---

**Disposal methods:** Incinerate liquid and contaminated solids in accordance with local, state, and federal regulations. (See 40 CFR 268)

---

### 14. TRANSPORT INFORMATION

---

**DOT**

<b>Proper shipping name</b>	Corrosive liquid, acidic, organic, n.o.s.(5-Chloro-2-methyl-4-isothiazolin-3-one)
<b>UN number</b>	UN 3265
<b>Class</b>	8
<b>Packing group</b>	II

**Classification for SEA transport (IMO-IMDG):**

<b>Proper shipping name</b>	CORROSIVE LIQUID, ACIDIC, ORGANIC, N.O.S.(5-Chloro-2-methyl-4-isothiazolin-3-one)
<b>UN number</b>	UN 3265
<b>Class</b>	8
<b>Packing group</b>	II
<b>Marine pollutant</b>	5-Chloro-2-methyl-4-isothiazolin-3-one
<b>Transport in bulk according to Annex I or II of MARPOL 73/78 and the IBC or IGC Code</b>	

**Classification for AIR transport (IATA/ICAO):**

<b>Proper shipping name</b>	Corrosive liquid, acidic, organic, n.o.s.(5-Chloro-2-methyl-4-isothiazolin-3-one)
<b>UN number</b>	UN 3265
<b>Class</b>	8
	Consult IMO regulations before transporting ocean bulk
<b>Packing group</b>	II

This information is not intended to convey all specific regulatory or operational requirements/information relating to this product. Transportation classifications may vary by container volume and may be influenced by regional or country variations in regulations. Additional transportation system information can be obtained through an authorized sales or customer service representative. It is the responsibility of the transporting organization to follow all applicable laws, regulations and rules relating to the transportation of the material.

---

## 15. REGULATORY INFORMATION

---

### OSHA Hazard Communication Standard

This product is considered hazardous under the OSHA Hazard Communication Standard (29 CFR 1910.1200).

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Sections 311 and 312

Acute Health Hazard

### Superfund Amendments and Reauthorization Act of 1986 Title III (Emergency Planning and Community Right-to-Know Act of 1986) Section 313

This product contains a chemical which is listed in Section 313 at or above de minimis concentrations. The following listed chemicals are present: (Quantity present is found elsewhere on this MSDS.)

#### Components

#### CASRN

Magnesium nitrate (10377-60-3) as nitrate compound

10377-60-3

### Comprehensive Environmental Response, Compensation, and Liability Act of 1980 (CERCLA) Section 103

This material is regulated under the Comprehensive Environmental Response, Compensation and Liability Act (CERCLA) and the Superfund Amendments and Reauthorization Act (SARA) Title III Section 304. This material is or contains chemical(s) listed in 40 CFR Table 302.4 or nondesignated RCRA ICR substance(s). (Nondesignated ICR substances apply to materials that will not be reused.) The Reportable Quantity(s) (RQ) are listed below. Releases in excess of its reportable quantity must be reported to the National Response Center (1-800-424-8802) and to the appropriate state and local emergency response organizations.

D002, 100lbs.

### Pennsylvania

Any material listed as "Not Hazardous" in the CAS REG NO. column of SECTION 2, Composition/Information On Ingredients, of this MSDS is a trade secret under the provisions of the Pennsylvania Worker and Community Right-to-Know Act.

### United States TSCA Inventory (TSCA)

This product contains chemical substance(s) exempt from U.S. EPA TSCA Inventory requirements. It is regulated as a pesticide subject to Federal Insecticide, Fungicide, and Rodenticide Act (FIFRA) requirements.

### Federal Insecticide, Fungicide and Rodenticide Act

EPA Registration Number: 707-133

This chemical is a pesticide product registered by the Environmental Protection Agency and is subject to certain labeling requirements under federal pesticide law. These requirements differ from the classification criteria and hazard information required for safety data sheets, and for workplace labels of non-pesticide chemicals. Following is the hazard information as required on the pesticide label:

DANGER

Corrosive

Causes irreversible eye damage and skin burns

May cause allergic skin reaction

Harmful if inhaled

Harmful if swallowed or absorbed through the skin

This chemical is toxic to aquatic plants, fish and aquatic invertebrates.

---

**16. OTHER INFORMATION**

---

**Hazard Rating System  
HMIS**

Health	Flammability	Physical Hazard
3	0	0

**Revision**

Identification Number: 101080112 / 1001 / Issue Date: 04/01/2015 / Version: 2.0

Most recent revision(s) are noted by the bold, double bars in left-hand margin throughout this document.

**Legend**

STEL	Short Term Exposure Limit (STEL):
TWA	Time Weighted Average (TWA):

.

**Disclaimer**

This information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process. Such information is, to the best of the company's knowledge and belief, accurate and reliable as of the date indicated. However, no warranty guarantee or representation is made to its accuracy, reliability or completeness. It is the user's responsibility to satisfy himself as to the suitability of such information for his own particular use.